



# Night Night Baby Cot Bed Assembly Instructions




**Keep for future reference**


Please read the instructions carefully before using this product



## Parts of the crib



A: Left Crib End (1 pc)    B: Right Crib End (1 pc)    C: Front Rail (1 pc)    D: Back Rail (1 pc)  
E: Mattress Support (1 pc)



aa: x8

bb: x4.

cc: x2

dd: x2



ee: x4

ff: x4



No drills necessary.  
Do not use power  
screwdriver




Phillips Screwdriver  
(not supplied)



## Assembling Cot Bed


### Stage 1



Attach the Back Rail (D) to the Left Crib End (A) and Right Crib End (B) using 2 (aa) Bolts on each side.

### Stage 2


Attach the Mattress Support (E) to the Left Crib End (A) and Right Crib End (B) using 2 (bb) Bolts on each side.





## Assembling Cot Bed


### Stage 3



Attach the Front Rail (C) to the Left Crib End (A) and Right Crib End (B) using 2 (aa) Bolts on each side. Then FULLY TIGHTEN all the bolts.

### Stage 4

Assemble castors (cc & dd) to the leg bottoms of the front and back crib ends (A and B).  
2 castors with brakes (cc) are in the front.  
2 castors without brakes (dd) are at the back.  
Use nuts (ee) and bolts (ff) for this step.



Then add the mattress. The recommended mattress size is 120 x 65 x 10 cm for this cot bed.





## Mattress Height Options

1.




1. 0-6 months (with castors)


2. Co-Sleeper (no castors)

3. 6 months + (no castors)

2.




3.





## **Use as a study desk**



Repurpose the cot bed later. Remove front rail and tilt the mattress support to form the desk top.